

Clinical Policy: Destruction of Localized Lesion of Choroid

Reference Number: OC.UM.CP.0020

Last Review Date: 11/2022

Coding Implications
Revision Log

See Important Reminder at the end of this policy for important regulatory and legal information.

Description

This policy describes the medical necessity requirements for destruction of localized lesion(s) of the choroid.

Policy/Criteria

- I. It is the policy of health plans affiliated with Envolve Vision, Inc.® (Envolve) that the destruction of a localized lesion of the choroid is **medically necessary** for the following indications:
 - A. Treatment of subretinal neovascular membranes as encountered in "wet" age-related macular degeneration, angioid streaks or other retinal disease processes involving violations of Bruch's membrane allowing in-growth of abnormal neovascular tissue into the subretinal space.
 - B. Subretinal neovascular membrane recurrences, which are immediately adjacent or contiguous with the first treated lesion, are well-known consequences of treating subretinal neovascular membranes.

Background

Choroidal neovascularization (CNV) describes the growth of new blood vessels that originate from the choroid through a break in the Bruch membrane into the sub–retinal pigment epithelium (sub-RPE) or subretinal space. Choroidal neovascularization is a major cause of visual loss. Destruction of the localized lesion of the choroid can be accomplished by using a laser or xenon arc. The choroid is a thin, vascular membrane lining the posterior eye between the retina and the sclera. Photocoagulation is performed without entering the posterior chamber. Intentionally destructive light is focused through a contact lens onto the choroidal lesion, which is destroyed in one session or in a series of sessions. A topical antibiotic or pressure patch may be applied.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2020, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT ®	Description
Codes	
67220	Destruction of localized lesion of choroid (e.g., choroidal neovascularization);
	photocoagulation (e.g., laser), 1 or more sessions

envolve.

CLINICAL POLICY Destruction of Localized Lesion of Choroid

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

+ Indicates a code requiring an additional character

ICD-10-CM	Description		
Code			
E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with macular edema, right eye		
E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with macular edema, left eye		
E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with macular edema, bilateral		
E08.3521	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment involving the macula, right eye		
E08.3522	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment involving the macula, left eye		
E08.3523	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment involving the macula, bilateral		
E08.3531	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment not involving the macula, right eye		
E08.3532	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment not involving the macula, left eye		
E08.3533	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with traction retinal detachment not involving the macula, bilateral		
E08.3541	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with combined traction retinal detachment and rhegmatogenous		
	retinal detachment, right eye		
E08.3542	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with combined traction retinal detachment and rhegmatogenous		
	retinal detachment, left eye		
E08.3543	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy with combined traction retinal detachment and rhegmatogenous		
	retinal detachment, bilateral		
E08.3551	Diabetes mellitus due to underlying condition with stable proliferative diabetic		
	retinopathy, right eye		
E08.3552	Diabetes mellitus due to underlying condition with stable proliferative diabetic		
	retinopathy, left eye		
E08.3553	Diabetes mellitus due to underlying condition with stable proliferative diabetic		
	retinopathy, bilateral		
E08.3591	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy without macular edema, right eye		
E08.3592	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy without macular edema, left eye		
E08.3593	Diabetes mellitus due to underlying condition with proliferative diabetic		
	retinopathy without macular edema, bilateral		
E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic		
	retinopathy with macular edema, right eye		



ICD-10-CM	Description	
Code		
E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with macular edema, left eye	
E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with macular edema, bilateral	
E09.3521	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment involving the macula, right eye	
E09.3522	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment involving the macula, left eye	
E09.3523	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment involving the macula, bilateral	
E09.3531	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment not involving the macula, right eye	
E09.3532	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment not involving the macula, left eye	
E09.3533	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with traction retinal detachment not involving the macula, bilateral	
E09.3541	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with combined traction retinal detachment and rhegmatogenous	
	retinal detachment, right eye	
E09.3542	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with combined traction retinal detachment and rhegmatogenous	
	retinal detachment, left eye	
E09.3543	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy with combined traction retinal detachment and rhegmatogenous	
	retinal detachment, bilateral	
E09.3551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic	
	retinopathy, right eye	
E09.3552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic	
	retinopathy, left eye	
E09.3553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic	
	retinopathy, bilateral	
E09.3591	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy without macular edema, right eye	
E09.3592	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy without macular edema, left eye	
E09.3593	Drug or chemical induced diabetes mellitus with proliferative diabetic	
	retinopathy without macular edema, bilateral	
E10.3511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular	
	edema, right eye	
E10.3512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular	
	edema, left eye	



ICD-10-CM	Description		
Code			
E10.3513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		
E10.3521	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye		
E10.3522	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye		
E10.3523	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction		
E10.3531	retinal detachment involving the macula, bilateral Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye		
E10.3532	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye		
E10.3533	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral		
E10.3541	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye		
E10.3542	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye		
E10.3543	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral		
E10.3551	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye		
E10.3552	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye		
E10.3553	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral		
E10.3591	Type 1 diabetes mellitus with proliferative diabetic retinopathy, onateral macular edema, right eye		
E10.3592	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye		
E10.3593	Type 1 diabetes mellitus with proliferative diabetic retinopathy without		
E11.3511	macular edema, bilateral Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye		
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye		
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		
E11.3521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye		
E11.3522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye		
E11.3523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral		



ICD-10-CM	Description		
Code	Description		
E11.3531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with tract		
	retinal detachment not involving the macula, right eye		
E11.3532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction		
	retinal detachment not involving the macula, left eye		
E11.3533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction		
	retinal detachment not involving the macula, bilateral		
E11.3541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined		
	traction retinal detachment and rhegmatogenous retinal detachment, right eye		
E11.3542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined		
	traction retinal detachment and rhegmatogenous retinal detachment, left eye		
E11.3543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined		
	traction retinal detachment and rhegmatogenous retinal detachment, bilateral		
E11.3551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye		
E11.3552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye		
E11.3553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral		
E11.3591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without		
	macular edema, right eye		
E11.3592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without		
	macular edema, left eye		
E11.3593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without		
	macular edema, bilateral		
E13.3511	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	macular edema, right eye		
E13.3512	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	macular edema, left eye		
E13.3513	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	macular edema, bilateral		
E13.3521	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	traction retinal detachment involving the macula, right eye		
E13.3522	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	traction retinal detachment involving the macula, left eye		
E13.3523	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	traction retinal detachment involving the macula, bilateral		
E13.3531	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	traction retinal detachment not involving the macula, right eye		
E13.3532	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
F12.2725	traction retinal detachment not involving the macula, left eye		
E13.3533	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
710.2516	traction retinal detachment not involving the macula, bilateral		
E13.3541	Other specified diabetes mellitus with proliferative diabetic retinopathy with		
	combined traction retinal detachment and rhegmatogenous retinal detachment,		
	right eye		



ICD-10-CM	Description	
Code		
E13.3542	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	
E13.3543	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	
E13.3551	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye	
E13.3552	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye	
E13.3553	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	
E13.3591	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	
E13.3592	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	
E13.3593	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	
H35.21	Other non-diabetic proliferative retinopathy, right eye	
H35.22	Other non-diabetic proliferative retinopathy, left eye	
H35.23	Other non-diabetic proliferative retinopathy, bilateral	
H35.3211	Exudative age-related macular degeneration, right eye with active choroidal neovascularization	
H35.3212	Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization	
H35.3213	Exudative age-related macular degeneration, right eye, with inactive scar	
H35.3221	Exudative age-related macular degeneration, left eye with active choroidal neovascularization	
H35.3222	Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization	
H35.3223	Exudative age-related macular degeneration, left eye, with inactive scar	
H35.3231	Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization	
H35.3232	Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization	
H35.3233	Exudative age-related macular degeneration, bilateral, with inactive scar	
H35.33	Angioid streaks of macula	
H44.2A1	Degenerative myopia with choroidal neovascularization, right eye	
H44.2A2	Degenerative myopia with choroidal neovascularization, left eye	
H44.2A3	Degenerative myopia with choroidal neovascularization, bilateral	



Reviews, Revisions, and Approvals	Date	Approval Date
Annual Review	12/2019	12/2019
Converted to new template	04/2020	06/2020
Annual Review; Added applicable ICD-10 diagnosis codes; Updated references	12/2020	12/2020
Annual Review	12/2021	12/2021
Annual Review	11/2022	11/2022

References

- 1. Photocoagulation of Choroidal Neovascular Membranes With a Diode Laser, M.W. Ulbig, D.A. McHugh, A.M. Hamilton, British Journal of Ophthalmology. 1993 Apr; 77(4):218-21.
- 2. Semin Ophthalmol. 1994 Mar;9(1):10-22. doi: 10.3109/08820539409060253. Laser Treatment of Choroidal Neovascularization. J C Lamkin 1, L J Singerman.
- 3. Ophthalmology. 2017 Nov;124(11):1690-1711. doi: 10.1016/j.ophtha.2017.04.028. Epub 2017 Jun 24. Myopic Choroidal Neovascularization: Review, Guidance, and Consensus Statement on Management. Chui Ming Gemmy Cheung, Jennifer J Arnold, et al.
- 4. Retina 2002 Aug;22(4):391-405; quiz 527-8. doi: 10.1097/00006982-200208000-00001. Photodynamic Therapy for Choroidal Neovascularization: A Review. Kathryn W Woodburn 1, Christopher J Engelman, Mark S Blumenkranz
- 5. American Academy of Ophthalmology Retina Panel. Preferred Practice Pattern® Guidelines. Age-Related Macular Degeneration. San Francisco, CA: American Academy of Ophthalmology; 2019, https://www.aao.org/preferred-practice-pattern/age-related-macular-degeneration-ppp
- 6. American Academy of Ophthalmology Retina Panel. Preferred Practice Pattern® Guidelines. Diabetic Retinopathy PPP 2019. San Francisco, CA: American Academy of Ophthalmology; 2019, https://www.aao.org/preferred-practice-pattern/diabetic-retinopathy-ppp

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Envolve Vision, Inc., or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as

envolve.

CLINICAL POLICY Destruction of Localized Lesion of Choroid

well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed <u>prior to</u> applying the criteria set forth in this clinical policy. Refer to the CMS website at http://www.cms.gov for additional information.

©2018 Envolve, Inc. All rights reserved. All materials are exclusively owned by Envolve and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Envolve. You may not alter or remove any trademark, copyright or other notice contained herein.