

## Clinical Policy: Indocyanine Green (ICG) Angiography

Reference Number: OC.UM.CP.0032

Last Review Date: 12/2021

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

---

### Description

Indocyanine green (ICG) angiography is an infrared-based, dye imaging technique that is effective in the diagnosis and treatment of ill-defined choroidal neovascularization (e.g., associated with age-related macular degeneration). This policy describes the medical necessity requirements for ICG angiography.

### Policy/Criteria

- I. It is the policy of health plans affiliated with Envolve Vision, Inc.<sup>®</sup> (Envolve) that ICG angiography is **medically necessary** for the following indications:
  - A. Retinal neovascularization
  - B. Choroid neovascularization
  - C. Serous detachment of retinal pigment epithelium
- II. It is the policy of health plans affiliated with Envolve that feeder vessel therapy with the use of ICG angiography is **considered experimental** for the following indications:
  - A. Retinal neovascularization

### Background

Indocyanine green (ICG) is a tricarbo-cyanine dye, which is highly protein bound and does not readily escape from the choriocapillaris. There is a particularly efficient first pass effect in the liver; this limits the recirculation phenomenon that occurs with fluorescein angiography. Indocyanine green absorbs and reflects in the near infrared portion of the spectrum. In this fashion, the retinal pigment epithelium (RPE) is essentially rendered invisible. These characteristics also facilitate visualization of the choroid through hemorrhage or other pigmentary deposits in the retina or RPE.

Feeder Vessel Therapy (FVT) is an experimental procedure that involves the use of ICG angiography, used for diagnosing and treating retinal neovascularization. This is a procedure that is closely related to Ocular Photodynamic Therapy (OPT), which combines a light-sensitive medication and laser to destroy diseased tissue and abnormal blood vessels in the eye. FVT involves ICG Dynamic Videoangiography, and the use of a scanning laser ophthalmoscopy.

### Coding Implications

This clinical policy references Current Procedural Terminology (CPT<sup>®</sup>). CPT<sup>®</sup> is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2018, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

Indocyanine-Green Angiography:

CPT Codes	Description
92240	Indocyanine-green angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral

Feeder Vessel Therapy:

HCPCS Codes	Description
G0186	Destruction of localized lesion (e.g. choroidal neovascularization); photocoagulation, feeder vessel technique (one or more sessions)

**ICD-10-CM Diagnosis Codes that Support Coverage Criteria**

+ Indicates a code requiring an additional character

ICD-10-CM Code	Description
A18.53	Tuberculous chorioretinitis
E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye
E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye
E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral
E08.3521	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E08.3522	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E08.3523	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E08.3531	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E08.3532	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E08.3533	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E08.3541	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
E08.3542	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E08.3543	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E08.3551	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye
E08.3552	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye
E08.3553	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral
E08.3591	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye
E08.3592	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye
E08.3593	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral
E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E09.3521	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E09.3522	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E09.3523	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E09.3531	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E09.3532	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E09.3533	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
E09.3541	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E09.3542	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E09.3543	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E09.3551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E09.3552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E09.3553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E09.3591	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E09.3592	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E09.3593	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E10.3511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E10.3512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E10.3513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E10.3521	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E10.3522	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E10.3523	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E10.3531	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E10.3532	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E10.3533	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E10.3541	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
E10.3542	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E10.3543	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E10.3551	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E10.3552	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E10.3553	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E10.3591	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E10.3592	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E10.3593	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E11.3511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E11.3521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E11.3522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E11.3523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E11.3531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E11.3532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E11.3533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E11.3541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E11.3542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
E11.3543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E11.3551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E11.3552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E11.3553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E11.3591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E11.3592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E11.3593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E13.3511	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye
E13.3512	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye
E13.3513	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral
E13.3521	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye
E13.3522	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye
E13.3523	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral
E13.3531	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye
E13.3532	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye
E13.3533	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral
E13.3541	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye
E13.3542	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye
E13.3543	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral
E13.3551	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
E13.3552	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E13.3553	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E13.3591	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E13.3592	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E13.3593	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
H30.011	Focal chorioretinal inflammation, juxtapapillary, right eye
H30.012	Focal chorioretinal inflammation, juxtapapillary, left eye
H30.013	Focal chorioretinal inflammation, juxtapapillary, bilateral
H30.021	Focal chorioretinal inflammation of posterior pole, right eye
H30.022	Focal chorioretinal inflammation of posterior pole, left eye
H30.023	Focal chorioretinal inflammation of posterior pole, bilateral
H30.031	Focal chorioretinal inflammation, peripheral, right eye
H30.032	Focal chorioretinal inflammation, peripheral, left eye
H30.033	Focal chorioretinal inflammation, peripheral, bilateral
H30.041	Focal chorioretinal inflammation, macular or paramacular, right eye
H30.042	Focal chorioretinal inflammation, macular or paramacular, left eye
H30.043	Focal chorioretinal inflammation, macular or paramacular, bilateral
H30.111	Disseminated chorioretinal inflammation of posterior pole, right eye
H30.112	Disseminated chorioretinal inflammation of posterior pole, left eye
H30.113	Disseminated chorioretinal inflammation of posterior pole, bilateral
H30.121	Disseminated chorioretinal inflammation, peripheral right eye
H30.122	Disseminated chorioretinal inflammation, peripheral, left eye
H30.123	Disseminated chorioretinal inflammation, peripheral, bilateral
H30.131	Disseminated chorioretinal inflammation, generalized, right eye
H30.132	Disseminated chorioretinal inflammation, generalized, left eye
H30.133	Disseminated chorioretinal inflammation, generalized, bilateral
H30.141	Acute posterior multifocal placoid pigment epitheliopathy, right eye
H30.142	Acute posterior multifocal placoid pigment epitheliopathy, left eye
H30.143	Acute posterior multifocal placoid pigment epitheliopathy, bilateral
H30.891	Other chorioretinal inflammations, right eye
H30.892	Other chorioretinal inflammations, left eye
H30.893	Other chorioretinal inflammations, bilateral
H34.8110	Central retinal vein occlusion, right eye, with macular edema
H34.8111	Central retinal vein occlusion, right eye, with retinal neovascularization

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
H34.8112	Central retinal vein occlusion, right eye, stable
H34.8120	Central retinal vein occlusion, left eye, with macular edema
H34.8121	Central retinal vein occlusion, left eye with retinal neovascularization
H34.8122	Central retinal vein occlusion, left eye, stable
H34.8130	Central retinal vein occlusion, bilateral, with macular edema
H34.8131	Central retinal vein occlusion, bilateral, with retinal neovascularization
H34.8132	Central retinal vein occlusion, bilateral, stable
H34.8310	Tributary (branch) retinal vein occlusion, right eye, with macular edema
H34.8311	Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization
H34.8312	Tributary (branch) retinal vein occlusion, right eye, stable
H34.8320	Tributary (branch) retinal vein occlusion, left eye, with macular edema
H34.8321	Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization
H34.8322	Tributary (branch) retinal vein occlusion, left eye, stable
H34.8330	Tributary (branch) retinal vein occlusion, bilateral, with macular edema
H34.8331	Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization
H34.8332	Tributary (branch) retinal vein occlusion, bilateral, stable
H35.3211	Exudative age-related macular degeneration, right eye with active choroidal neovascularization
H35.3212	Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization
H35.3213	Exudative age-related macular degeneration, right eye, with inactive scar
H35.3221	Exudative age-related macular degeneration, left eye with active choroidal neovascularization
H35.3222	Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization
H35.3223	Exudative age-related macular degeneration, left eye, with inactive scar
H35.3231	Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization
H35.3232	Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization
H35.3233	Exudative age-related macular degeneration, bilateral, with inactive scar
H35.61	Retinal hemorrhage, right eye
H35.62	Retinal hemorrhage, left eye
H35.63	Retinal hemorrhage, bilateral
H35.711	Central serous chorioretinopathy, right eye
H35.712	Central serous chorioretinopathy, left eye
H35.713	Central serous chorioretinopathy, bilateral
H35.721	Serous detachment of retinal pigment epithelium, right eye
H35.722	Serous detachment of retinal pigment epithelium, left eye



**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

ICD-10-CM Code	Description
H35.723	Serous detachment of retinal pigment epithelium, bilateral
H35.731	Hemorrhagic detachment of retinal pigment epithelium, right eye
H35.732	Hemorrhagic detachment of retinal pigment epithelium, left eye
H35.733	Hemorrhagic detachment of retinal pigment epithelium, bilateral
H44.2A1	Degenerative myopia with choroidal neovascularization, right eye
H44.2A2	Degenerative myopia with choroidal neovascularization, left eye
H44.2A3	Degenerative myopia with choroidal neovascularization, bilateral

Reviews, Revisions, and Approvals	Date	Approval Date
Original approval date	12/2019	12/2019
Converted to new template; Combined clinical policies on indocyanine green angiography and feeder vessel therapy	05/2020	06/2020
Annual Review; Revised indications; Updated references	12/2020	12/2020
Annual Review	12/2021	12/2021

**References**

1. British Journal of Ophthalmology, V.80(3), March 1996, Indocyanine Green Angiography, Sarah L. Owens, 263-266
2. Feeder Vessel Treatment in Age-Related Macular Degeneration (AMD) with Classic, Occult Choroidal Neovascularization and Vascularized Retinal Pigment Epithelium Detachment, Investigative Ophthalmology & Visual Science December 2002, Vol.43, 1226.
3. Weinberger D, et. Al. Indocyanine green angiographic findings in nonproliferative diabetic retinopathy. Am J of Ophthal. Volume 126, Issue 2, August 1998, Pages 238-247.
4. American Academy of Ophthalmology Retina Panel. Preferred Practice Pattern® Guidelines. Diabetic Retinopathy PPP 2019. San Francisco, CA: American Academy of Ophthalmology; 2019, <https://www.aao.org/preferred-practice-pattern/diabetic-retinopathy-ppp>
5. American Academy of Ophthalmology Retina Panel. Preferred Practice Pattern® Guidelines. Age-Related Macular Degeneration. San Francisco, CA: American Academy of Ophthalmology; 2019, <https://www.aao.org/preferred-practice-pattern/age-related-macular-degeneration-ppp>

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health

## CLINICAL POLICY

### Indocyanine Green (ICG) Angiography

plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Envolve Vision, Inc., or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note: For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

**Note: For Medicare members**, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

**CLINICAL POLICY**  
**Indocyanine Green (ICG) Angiography**

©2018 Envolve, Inc. All rights reserved. All materials are exclusively owned by Envolve and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Envolve. You may not alter or remove any trademark, copyright or other notice contained herein.